



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/749,989

12/31/2003

Rainer W. Lienhart

42390.P18599

9974

8791

7590

05/23/2006

BLAKELY SOKOLOFF TAYLOR & ZAFMAN
12400 WILSHIRE BOULEVARD
SEVENTH FLOOR
LOS ANGELES, CA 90025-1030

EXAMINER

WON, MICHAEL YOUNG

ART UNIT

PAPER NUMBER

2155

DATE MAILED: 05/23/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/749,989

Applicant(s)

LIENHART ET AL.

Examiner

Michael Y. Won

Art Unit

2155

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 27 February 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-5, 7-11, 14-18 and 21 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-5, 7-11, 14-18 and 21 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. This action is in response to the amendment filed February 27, 2006.
2. Claims 1-5, 7-11, 14-18, and 21 have been amended and claims 6, 12-13, and 19-20 have been cancelled.
3. Claims 1-5, 7-11, 14-18, and 21 have been examined and are pending with this action.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 1-5, 7-11, 14-18, and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bekritsky et al. (US 2002/0059535 A1) in view of Lovett et al. (US 6,591,370 B1).

INDEPENDENT:

As per ***claim 1***, Bekritsky teaches a method comprising:

recording a first node local time of receiving a wirelessly transmitted packet at a first node (see pg.1, [0006]: "The first arrival time is a time of reception of the reference data packets by a first receiving station"), the first node local time recorded with a monotonically increasing clock of the first node (see pg.2, [0015]: "a clock that runs independently from the clocks of the other receiving stations");

recording a second node local time of receiving the wirelessly transmitted packet at a second node (see pg.1, [0006]: "second arrival time is a time of reception of the reference data packets by a second receiving station"), the second node local time recorded with a monotonically increasing clock of the second node (see pg.2, [0015]: "a clock that runs independently from the clocks of the other receiving stations");

wirelessly transmitting the first node recorded local time by the first node to at least a second node (implicit: see pg.1, [0006]: "A first arrival time is compared to a second arrival time to determine a correlated arrival time data" and pg.2, [0019]: "the TDOA between two receivers A and B... is computed by subtracting the timestamp from the clock of station B from the timestamp of the clock of station A");

receiving the first node recorded local time at the second node and recording the first node local time of receiving the wirelessly transmitted packet (implicit: see pg.1, [0013]: "The difference in time of arrival of the packet at any two of the receivers allows computation of a unique hyperbola in space" and pg.2, [0019]: "the TDOA between two receivers A and B... is computed by subtracting the timestamp from the clock of station B from the timestamp of the clock of station A"); and

synchronizing a second node timing model with a first node timing model (see pg.2, [0015], [0016], and [0021]).

Bekritsky does not explicitly teach of further synchronizing the first and second node timing models with a global clock associated with the first node and the second node.

Lovett teaches of synchronizing the first and second node timing models with a global clock associated with the first node and the second node (see).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to employ the teaching of *Lovett* within the method of *Bekritsky* by implementing synchronizing the first and second node timing models with a global clock within the method because *Lovett* teaches that by synchronizing to a global clock, local clock can by synchronized without affecting the operation of running clocks on other nodes", especially in situations when "it is often desirable to dynamically add a node or modify a partition after the local clocks are reset" and would not be "acceptable to reset the local clocks in nodes that are already running" (see col.1, lines 48-62).

As per **claim 8**, *Bekritsky* teaches a machine-readable medium having stored thereon sets of instructions which when executed by a machine cause the machine to:

record a first node local time of receiving a wirelessly transmitted packet at a first node (see pg.1, [0006]: "The first arrival time is a time of reception of the reference data packets by a first receiving station"), the first node local time recorded with a

Art Unit: 2155

monotonically increasing clock of the first node (see pg.2, [0015]: “a clock that runs independently from the clocks of the other receiving stations”);

record a second node local time of receiving the wirelessly transmitted packet at a second node (see pg.1, [0006]: “second arrival time is a time of reception of the reference data packets by a second receiving station”), the second node local time recorded with a monotonically increasing clock of the second node (see pg.2, [0015]: “a clock that runs independently from the clocks of the other receiving stations”);

wirelessly transmit the first node recorded local time by the first node to at least a second node (implicit: see pg.1, [0006]: “A first arrival time is compared to a second arrival time to determine a correlated arrival time data” and pg.2, [0019]: “the TDOA between two receivers A and B... is computed by subtracting the timestamp from the clock of station B from the timestamp of the clock of station A”);

receive the first node recorded local time at the second node and record the first node local time of receiving the wirelessly transmitted packet (implicit: see pg.1, [0013]: “The difference in time of arrival of the packet at any two of the receivers allows computation of a unique hyperbola in space” and pg.2, [0019]: “the TDOA between two receivers A and B... is computed by subtracting the timestamp from the clock of station B from the timestamp of the clock of station A”); and

synchronizing a second node timing model with a first node timing model (see pg.2, [0015], [0016], and [0021]).

Bekritsky does not explicitly teach of further synchronizing the first and second node timing models with a global clock associated with the first node and the second node.

Lovett teaches of synchronizing the first and second node timing models with a global clock associated with the first node and the second node (see).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to employ the teaching of *Lovett* within the program of *Bekritsky* by implementing synchronizing the first and second node timing models with a global clock within the program because *Lovett* teaches that by synchronizing to a global clock, local clock can be synchronized without affecting the operation of running clocks on other nodes", especially in situations when "it is often desirable to dynamically add a node or modify a partition after the local clocks are reset" and would not be "acceptable to reset the local clocks in nodes that are already running" (see col.1, lines 48-62).

As per **claim 15**, *Bekritsky* teaches a system comprising:

a first node to record a first node local time of receiving a wirelessly transmitted packet (see pg.1, [0006]: "The first arrival time is a time of reception of the reference data packets by a first receiving station"), the first node local time recorded with a monotonically increasing clock of the first node (see pg.2, [0015]: "a clock that runs independently from the clocks of the other receiving stations");

a second node to record a second node local time of receiving the wirelessly transmitted packet at the second node (see pg.1, [0006]: "second arrival time is a time

of reception of the reference data packets by a second receiving station”), the second node local time recorded with a monotonically increasing clock of the second node (see pg.2, [0015]: “a clock that runs independently from the clocks of the other receiving stations”);

the first node to wirelessly transmit the first node recorded local time to at least a second node (implicit: see pg.1, [0006]: “A first arrival time is compared to a second arrival time to determine a correlated arrival time data” and pg.2, [0019]: “the TDOA between two receivers A and B... is computed by subtracting the timestamp from the clock of station B from the timestamp of the clock of station A”);

the second to receive the first node recorded local time and record the first node local time of receiving the wirelessly transmitted packet (implicit: see pg.1, [0013]: “The difference in time of arrival of the packet at any two of the receivers allows computation of a unique hyperbola in space” and pg.2, [0019]: “the TDOA between two receivers A and B... is computed by subtracting the timestamp from the clock of station B from the timestamp of the clock of station A”); and

the second node to synchronize a second node timing model with a first node timing model (see pg.2, [0015], [0016], and [0021]).

Bekritsky does not explicitly teach to synchronize the first and second node timing models with a global clock associated with the first node and the second node.

Lovett teaches to synchronize the first and second node timing models with a global clock associated with the first node and the second node (see).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to employ the teaching of *Lovett* within the system of *Bekritsky* by implementing to synchronize the first and second node timing models with a global clock associated with the first node and the second node within the system because *Lovett* teaches that by synchronizing to a global clock, local clock can be synchronized without affecting the operation of running clocks on other nodes”, especially in situations when “it is often desirable to dynamically add a node or modify a partition after the local clocks are reset” and would not be “acceptable to reset the local clocks in nodes that are already running” (see col.1, lines 48-62).

DEPENDENT:

As per **claims 2, 9, and 16**, which depend on claims 1, 8, and 15, respectively, *Bekritsky* further teaches wherein the wirelessly transmitted packet comprises a beacon transmitted from a wireless access point (see pg.1, [0006]: “A beacon transmits reference data packets at a known position” and pg.2, [0017]: “Such reference packets 22 may be created based on an 802.11x network standard and transmitted by access points”).

As per **claims 3, 10, and 17**, which depend on claims 1, 8, and 15, respectively, *Bekritsky* teaches of further including: synchronizing sample numbers of a multimedia stream on the second node with the second node timing model, the second node timing model having been synchronized with the first node (see pg.2, [0021]).

As per **claims 4, 11, and 18**, which depend on claims 3, 10, and 17, respectively, *Bekritsky* and *Lovett* further teach wherein the synchronization of sample numbers in I/O operations is performed by time-stamping IRQs request with a global time (see pg.2, [0017]: "Each receiving unit time-stamps the packets as they arrive"; [0021]: "the clock of one of the receiving stations is used as a reference clock, and all the clocks of the other receiving stations are corrected to match the frequency and start time of the reference clock"; and pg.3, [0024]: "time stamp is then adjusted to compensate for frequency offset and the random stat time of the internal clock") according to the global clock.

As per **claim 5**, which depend on claims 1, *Bekritsky* teaches of further including repeating the method of claim 1 to generate an updated second node timing model to synchronize with the first node timing model (see pg.2, [0021]: " the slopes and intercepts are continuously computed and updated").

As per **claims 7, 14, and 21**, which depend on claims 1, 8, and 15, respectively, *Bekritsky* teaches of further including:

recording a third node local time of receiving the wirelessly transmitted packet from the first node at a third node and recording the first node local time of receiving the wirelessly transmitted packet (see claim 1, 8, and 15 rejections above); and

synchronizing a third node timing model with the first node timing model and the second node timing model, and further synchronizing the first, second, and third node timing models with the global clock associated with the first node, the second node, and the third node (see claim 1, 8, and 15 rejections above). **Note:** incorporating additional

Art Unit: 2155

nodes performing the same functionality explicitly taught by *Bekritsky* and *Lovett*, do not make the invention novel and therefore does not overcome the prior art of reference.

Response to Arguments

5. Applicant's arguments with respect to the limitation of "synchronizing the first and second node timing models with a global clock associated with the first node and the second node" as recited in the amended independent claims 1, 8, and 15, have been considered but are moot in view of the new ground(s) of rejection.

The newly cited reference *Lovett et al.* (US 6,591,370 B1) clearly teaches the missing amended limitation and therefore, claims 1-5, 7-11, 14-18, and 21 have been finally rejected.

Conclusion

6. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael Y. Won whose telephone number is 571-272-3993. The examiner can normally be reached on M-Th: 7AM-5PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Saleh Najjar can be reached on 571-272-4006. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2155

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Michael Won



May 16, 2006



SALEH NAJJAR
SUPERVISORY PATENT EXAMINER